



FOR KEY PLAN SHOWING CONNECTION LOCATION^s SEE DWG. 9100



FIN. CONC. SLAB 3RD FLOOR EL. 401.9
 FIN. CONC. SLAB 9TH FLOOR EL. 414.6
 TOP OF STEEL 5' BELOW FIN. CONC. SLAB U.M.
 ALL BEAMS SHALL BE ASTM A-572 GRADE 50 U.L.M.
 WIND GIRDETS INDICATED "WG" ON PLAN, SHALL BE ASTM A-36
 ALL CNG ARE A36 EXCEPT CNG WITH * WHICH ARE A572 GR. 50.
 FOR GENERAL NOTES SEE DIAGRAM E1/20

ALL BMS. W8x19 (74) & SPANDEL BRACE BM^s W12x13 (74) TO BE A36
 FOR COLS WITH *- REINF. IS UP TO 2" - A572 GR. 50
 OVER 2" - A581
 OVER 4" - A572 GR. 42
 OVER 6" - A581

COL. SCHED. - E117 & 117A
 CUSTOMER DWG. - S8
 (...) INDICATES 3"x5" SHEAR STUDS, FIELD APPLIED.
 [---] INDICATES CAMBER
 BEAM OPENING & ELEV^s ARE GIVEN WITH RESPECT TO THE TOP OF STEEL

FOR BUILT-UP GIRDER DETAILS 'N' & 'S'
 ALSO SECT^s 10;17 SEE DIAG. E10/11
 FOR SPANDEL TRUSS CONNECTIONS TO PERIMETER COL^s & WIND GIRDETS SEE CW-1

FOR TYPICAL CONNECTION DETAILS ON 9000 SERIES DWG^s SEE KEY PLAN DWG # 9100

FOR ADDITIONAL STUDS SEE CUST. DWG. S8 Rev. 1

REVISED BY	OPEN HOLES	3 RD & 9 TH FLOOR FRAMING PLAN.
DATE	PAINT	7 WORLD TRADE CENTER.
DATE	ERECTED BY	TISHMAN CONSTRUCTION.
DATE	FIELD PAINT	EMERY ROTH & SONS P.C.
DATE	INSPECTION	IRWIN G. CANTOR P.C.

220 ATTWELL DRIVE UNIT 1 READING, ONTARIO M5W 5E2

SQUAD F.R. MADE BY GP DATE CHD. BY HL DATE

CONT. NO. 84-15 SHEET E8/9

Nov. 14/85 BF NOTE FOR ADD. STUDS (154)
 9/12/85 HM FIELD WORK NOTE ADDED
 5/23/85 GP X20 OPE'S & COL. GG REV.
 5/19/85 GP DERRICK SUPPORT BMS. @ 3RD FL.
 4/19/85 GP TO APPROVAL 4/17/85
 DATE BY REVISION

Aug 28/85 E
 July 5/85 E